



Technical drawings are subject to change without notice. All millimeter dimensions are exact and supersede inch conversions.


Ladder height at or above 3000mm [118 1/8"] require safety side rails SL.6052.AK





Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited. All ladder systems require reinforced walls, cabinets, or shelving.

# Leaning Ladder SL.6000.AK

Date Prepared: October 2018 Prepared By: CDA | JRT



Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.  
**Ladder height at or above 3000mm [118 1/8"]**  
**require safety side rails SL.6052.AK**



Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.  
**All ladder systems require reinforced walls, cabinets, or shelving.**

# Leaning Ladder SL.6000.AK.E

Date Prepared: October 2018

Prepared By: CDA | JRT





NORTH AMERICA

Email: [info@mwe-na.com](mailto:info@mwe-na.com)

[www.mwe-na.com](http://www.mwe-na.com)


Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.  
**Ladder height at or above 3000mm [118 1/8"]**  
**Require safety side rails SL.6052.AK**



Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.  
 All ladder systems require reinforced walls, cabinets, or shelving.




# Leaning Ladder SL.6000.AK.H

Date Prepared: October 2018 | Prepared By: CDA | JRT



Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.  
**Ladder height at or above 3000mm [118 1/8"]**  
**require safety side rails SL.6052.KL**

Copyright MWE NA Inc., all rights reserved. Reproduction or other use  
 of these designs without written consent from MWE NA Inc. is prohibited.  
**All ladder systems require reinforced walls, cabinets, or shelving.**



# Leaning Ladder SL.6000.KL

Date Prepared: October 2018 | Prepared By: CDA | JRT





NORTH AMERICA

Email: [info@mwe-na.com](mailto:info@mwe-na.com)  
[www.mwe-na.com](http://www.mwe-na.com)

Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.  
**Ladder height at or above 3000mm [118 1/8"]**  
**require safety side rails SL.6052.KL**

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.  
**All ladder systems require reinforced walls, cabinets, or shelving.**



# Leaning Ladder SL.6000.KL.E



Date Prepared: October 2018

Prepared By: CDA | JRT

Technical drawings are subject to change without notice.  
 All millimeter dimensions are exact and supersede inch conversions.

Ladder height at or above 3000mm [118 1/8"]  
 require safety side rails SL.6052.KL

Copyright MWE NA Inc. all rights reserved. Reproduction or other use  
 of these designs without written consent from MWE NA Inc is prohibited.  
 All ladder systems require reinforced walls, cabinets, or shelving.



# Leaning Ladder SL.6000.KL.H

Date Prepared: October 2018 Prepared By: CDA | JRT

**MWE**  
 NORTH AMERICA  
 Email: info@mwe-na.com  
[www.mwe-na.com](http://www.mwe-na.com)