

PROTEC


ST.1016.PR





Find A Dealer Online At www.mwe-na.com





PROTEC ST. 1016.PR

The Protec sliding door system is one of the most adjustable & versatile hardware models. The sliding rail, made of solid stainless steel, as well as the wheels can be power-coated, polished or PVD coated for additional customization.

The Protec system can be used with Glass, metal, wood or plastic. It carries a door leaf weight of up to 231 pounds per 2 wheels.

Technische Details:

Download technical drawings and generate specifications online using **ADCAT**°

Overview

- + Suitable for wood or glass doors
- + Mounting on the top of the door leaf
- +Available with MWE Soft-Stop
- + Available with synchronization
- + Can carry door weight of 231 lbs. per 2 wheels


















EASY HEIGHT ADJUSTMENT OF THE DOOR LEAF AFTER INSTALL

- + Even after installation, the door can be opened by a threaded pin on the underside of the wheel.
- + This type of adjustment is standard in the Protec (shown) and Klassik
- + It allows for precise alignment of the door leaf






SLIDING RAILS ARE MADE OF SOLID STAINLESS STEEL


- + Very quite movement and zero resistance while sliding
- + High load capacity of the entire system

















+/- 1/4" height adjustment possible after installation



With Angle Adjustment



Find A Dealer Online At www.mwe-na.com









Find A Dealer Online At www.mwe-na.com



Find A Dealer Online At www.mwe-na.com